

The CoolSculpting procedure uses a non-invasive vacuum applicator to draw in tissue and deliver controlled cooling at the surface of the skin. The procedure is for spot reduction of fat. It is not a weight-loss solution and it does not replace traditional methods such as liposuction. Someone who is overweight can expect to see less visible improvement than someone who has smaller fat deposits. Clinical studies have shown that CoolSculpting will naturally remove fat cells but, as with most procedures, visible results will vary from person to person.

Initial {INITIALS 50 PERC}

What you can expect:

The suction pressure may cause sensations of deep pulling, tugging and pinching. You may experience intense stinging, tingling, aching or cramping as the treatment begins. These sensations generally subside as the area becomes numb.

Initial {INITIALS_50_PERC}

The treated area may look or feel stiff after the procedure and transient blanching (temporary whitening of the skin) may occur. You may feel a sense of nausea or dizziness as your body naturally warms and sensation returns to your treatment area. These are all normal reactions that typically resolve within minutes.

Initial {INITIALS_50_PERC}

Bruising, swelling, and tenderness can occur in the treated area and it may appear red for a few hours after the applicator is removed.

Initial {INITIALS_50_PERC}

You may feel a dulling of sensation in the treated area that can last for several weeks after your procedure. Other changes including deep itching, tingling, numbness, tenderness to the touch, pain in the treated area, strong cramping, muscle spasms, aching and/or soreness- also have been reported after a CoolSculpting treatment.

Initial {INITIALS 50 PERC}

Patient experiences will differ. Some patients may experience a delayed onset of the previously mentioned occurrences. Contact us immediately if any unusual side effects occur or if symptoms worsen over time.

Initial {INITIALS_50_PERC}

You may start to see changes as early as three weeks after CoolSculpting, and you will experience the most dramatic results after one to three months. Your body will continue naturally to process the injured fat cells from your body for approximately four months after your procedure.

Initial {INITIALS 50 PERC}

You may decide that additional treatments are needed to reach your desired outcome.

Initial {INITIALS_50_PERC}
Initial {INITIALS_50_PERC}

In rare cases, patients have reported hardness, discrete nodules or



An AccuHe	alth Company			
_	nent of the treatment area. I understand that these and c n side effects may also occur.	other		
Do you have	any of the following:			
> Cryc	globulinemia or paroxysmal cold			∐Yes
hemog	obinuria			□No
> Kno	wn sensitivity to cold such as cold uticaria or Raynaud's			□Yes
disease				□No
➤ Imp	aired peripheral circulation in the area to be			□Yes
treated				□No
Neu	ropathic disorders such as post-herpetic neuralgia or diab	etic		□Yes
neurop	athy			□No
➤ Imp	aired Skin			□Yes
sensati	on			□No
Ope	n or infected			□Yes
wound				□No
Blee	ding disorders or concomitant use of blood			□Yes
thinner	S			□No
Rece	ent surgery or scar tissue in the area to be			□Yes
treated				□No
> A he	rnia or history of hernia in the area to be			□Yes
treated				□No
Skin	conditions such as eczema, dermatitis, or			□Yes
rashes				□No
Preg	nancy or			□Yes
lactatio	n			□No
Any	active implanted devices such as pacemakers and			□Yes
defibril	ators			□No
Pictures will be obtained for medical records. If pictures are used for education and marketing purposes, all identifying marks will be cropped or removed.				
nitial <u>{</u> INI	TIALS_50_PERC}			
detail. I hav	t medical procedures, there are risks and side effects. The read the above information, and I give my consent to Dermatology and designated staff.		•	
Print Name:	<personalinfo.fullname></personalinfo.fullname>	Date:	<system.date></system.date>	
Signature:	{SIGNATURE_50_PERC}		-	
Nitness:	<svstem.date></svstem.date>	Date:	<svstem.date></svstem.date>	



Signature: System.UserSignature